



CLEARWATER
Engineered Chemistry

Material Safety Data Sheet
PRO-A-GEL

HEALTH	2
FLAMMABILITY	4
REACTIVITY	0
PERSONAL PROTECTION	G

24 hr. Emergency Contact (CHEMTREC) US Tel: 1-800-424-9300 - Int'l. Tel. 703-527-3887

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: CLEARWATER INTERNATIONAL L.L.C.
 515 POST OAK BLVD., SUITE 600
 HOUSTON, TX 77027

MANUFACTURER: CLEARWATER INTERNATIONAL L.L.C.
 100 INDUSTRIAL DRIVE
 LEETSDALE, PA 15056

PRODUCT NAME: PRO-A-GEL
PRODUCT CODE: ACI5015B
PRODUCT USE/CLASS:

MSDS REVISION DATE: 04/14/03

PREPARER: MJW

PHONE: 724-318-1050

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	EXPOSURE LIMITS	CAS#	% BY WEIGHT
ISOPROPYL ALCOHOL	ACGIH TLV – 400 ppm TWA, 500 ppm STEL OSHA PEL 400 ppm	67-63-0	30-60 %
PROPRIETARY COMPONENT	NONE ESTABLISHED	XXXXX-XX-X	7-13 %

3. HAZARD IDENTIFICATION

EYE: Liquid, aerosols and vapors of this product may be irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

SKIN: May cause skin irritation. Allergic reactions are possible.

INGESTION: This material may be harmful if swallowed.

INHALATION: Prolonged inhalation may be harmful and can cause headaches, dizziness, nausea, decreased blood pressure, changes in heart rate and cyanosis. May be irritating to mucous membranes and lung tissue.

CHRONIC INFORMATION: Over exposure may cause kidney and liver damage.

PRIMARY ROUTE(S) OF ENTRY: Inhalation, Ingestion, and Eye Contact

4. FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Get medical attention, if irritation persists.

SKIN CONTACT: Wash with soap and water. Get medical attention if irritation develops or persists.

INHALATION: Remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

INGESTION: If swallowed, induce vomiting. Do not give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

5. FIRE FIGHTING MEASURES

FLASH POINT: 58 F
(TAGLIABUE CLOSED CUP)

LOWER EXPLOSIVE LIMIT: 2.0%
UPPER EXPLOSIVE LIMIT: 19.3%

Material Safety Data Sheet

PRO-A-GEL

AUTOIGNITION TEMPERATURE: N.D.

EXTINGUISHING MEDIA: ALCOHOL FOAM CO2 DRY CHEMICAL WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: Can release vapors that form explosive mixtures at temperatures at or above the flash point. Empty containers retain product residue (liquid and/or vapor) and can be dangerous.

SPECIAL FIRE FIGHTING PROCEDURES: Containers can build up pressure if exposed to heat (fire). As in any fire, wear a self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Apply alcohol-type foam or all purpose foam manufacturers recommended techniques for large fires. Use carbon dioxide or dry chemical for small fires. Use water spray to keep containers cool.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Extinguish any possible ignition source until the area is determined to be free from fire or explosion hazard. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. (See exposure controls / personal protection section) Spilled material should be disposed of according to applicable regulations.

7. HANDLING AND STORAGE

HANDLING: Handle all chemicals with care. Ground and bond containers when transferring materials.

STORAGE: Keep away from heat, sparks, and flames. Keep container closed when not in use. Store in a cool, dry, well ventilated place away from incompatible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust ventilation may be necessary to control any air contaminants to within their exposure limits.

RESPIRATORY PROTECTION: Use a NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge when airborne concentrations are expected to exceed exposure limits. Protection by air purifying respirators is limited.

SKIN PROTECTION: When contact is likely wear chemical resistant gloves and boots.

EYE PROTECTION: Wear safety glasses with side shields or goggles.

OTHER PROTECTIVE EQUIPMENT: Emergency eye wash stations and deluge showers should be available in the work area.

HYGIENIC PRACTICES: Wash hands before eating. Use only with adequate ventilation. Remove contaminated clothing and wash before reuse. Ground and bond containers when transferring material.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Yellow

ODOR: SL. Alcohol

BOILING POINT (RANGE): 180-239F

FREEZE POINT: N.D.

VAPOR DENSITY: Heavier than air

VAPOR PRESSURE: N.D.

PHYSICAL STATE: Liquid

SOLUBILITY IN WATER: N.D.

PH (AS IS): 5-7

SPECIFIC GRAVITY: 0.8750

10. STABILITY AND REACTIVITY DATA

CONDITIONS TO AVOID: Avoid temperature extremes. Excessive heat causes the vapor pressure to increase rapidly.

INCOMPATIBILITY: Avoid contact with strong acids and oxidizers.

Material Safety Data Sheet

PRO-A-GEL

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, nitrogen, and ammonia.

HAZARDOUS POLYMERIZATION: Will not occur under normal use and storage conditions.

CHEMICAL STABILITY: This product is stable under normal storage conditions.

11. TOXICOLOGICAL INFORMATION

ORAL: No product information is available.

DERMAL: No product information is available.

INHALATION: No product information is available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: No product information is available.

CHEMICAL FATE INFORMATION: No product information is available.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Consult local, state, or federal regulatory agencies for acceptable disposal procedures and disposal locations. Disposal in streams or sewers may be prohibited by federal, state, and local regulations.

RCRA STATUS: D001 –Characteristic of ignitability

14. TRANSPORTATION INFORMATION

(NON-BULK SHIPMENTS)

D.O.T. PROPER SHIPPING NAME: Isopropanol Solution

D.O.T. TECHNICAL NAME:

D.O.T. HAZARD CLASS: 3

HAZARD SUBCLASS: N/A

D.O.T. UN NUMBER: UN1219

PACKING GROUP: II

RESP. GUIDE PAGE: 129

(BULK SHIPMENTS)

D.O.T. PROPER SHIPPING NAME: Isopropanol Solution

D.O.T. TECHNICAL NAME:

D.O.T. HAZARD CLASS: 3

HAZARD SUBCLASS: N/A

D.O.T. UN NUMBER: UN1219

PACKING GROUP: II

RESP. GUIDE PAGE: 129

T.D.G. PROPER SHIPPING NAME: Isopropanol Solution

T.D.G. TECHNICAL NAME:

T.D.G. HAZARD CLASS: 3

HAZARD SUBCLASS: N/A

T.D.G. UN NUMBER: UN1219

PACKING GROUP: II

RESP. GUIDE PAGE: 129

IMDG PROPER SHIPPING NAME: Isopropanol Solution

IMDG TECHNICAL NAME:

IMDG HAZARD CLASS: 3

HAZARD SUBCLASS: N/A

IMDG UN NUMBER: UN1219

PACKING GROUP: II

EmS No.: F-E, S-D

15. REGULATORY INFORMATION

RCRA – SARA HAZARD CATEGORY:

Material Safety Data Sheet

PRO-A-GEL

SECTION 311/312: This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

FIRE HAZARD

SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

COMPONENT	CAS#	% BY WEIGHT
-----------	------	-------------

No SARA Section 313 components exist in this product.

TSCA STATUS:

All components of this product are listed on the Toxic Substance Control Act Inventory or are excluded from the listing requirements.

INTERNATIONAL REGULATIONS:

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

CANADIAN WHMIS CLASS: B-2, D-2B

CANADIAN ENVIRONMENTAL PROTECTION ACT:

All components of this product are listed on the Canadian Domestic Substance List (DSL).

16. OTHER INFORMATION

HMIS RATING – HEALTH: 2 FLAMMABILITY: 4 REACTIVITY: 0 PERSONAL PROTECTIVE RATING: G

LEGEND: N.A. – NOT APPLICABLE, N.E. - NOT ESTABLISHED, N.D. – NOT DETERMINED

THIS PRODUCT'S HEALTH AND SAFETY INFORMATION IS PROVIDED TO ASSIST OUR CUSTOMERS IN ASSESSING COMPLIANCE WITH HEALTH, SAFETY AND ENVIRONMENTAL REGULATIONS. THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US, AND IS BELIEVED TO BE ACCURATE, ALTHOUGH NO GUARANTEE OR WARRANTY IS PROVIDED OR IMPLIED BY THE COMPANY IN THIS RESPECT. SINCE THE USE OF THIS PRODUCT IS WITHIN THE EXCLUSIVE CONTROL OF THE USER, IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE CONDITIONS OF SAFE USE. SUCH CONDITIONS MUST COMPLY WITH ALL GOVERNMENTAL REGULATIONS.